

DATE:

November 1, 1983

SUBJECT:

REQUEST FOR COMPLETION OF 124 PROCEDURE - TWO FACILITIES

FROM:

Betti Harri

TO:

Bob Stewart/Lynn Harrington

As discussed with you both briefly, I am attaching the folders for Litton Advanced Circuitry and U.S. Paint, both of which are in urgent need of completion of the Part 124 procedure. In both cases, the work is substantially completed and determinations have been made, so there should be little technical staff work involved.

Once you have completed the Part 124 actions, you may return the files to me and I will prepare the letter that will officially delete them from the system.

I will be out of town until Friday—I thought you might like to get started on these, perhaps using Midge, as we discussed.

Attach.

R00337369 RCRA RECORDS CENTER

EPA Form 1320-6 (Rev. 3-76)

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

DATE:

SUBJECT:

MEMO TO FILES - REVIEW OF TSD INTERIM STATUS WITHDRAWAL TO DETERMINE IF PART 124 WITHDRAWAL PROCEDURE IS NECESSARY

FROM:

Betti C. Harris, Missouri Coordinator

TO:

FILE:

NAME OF FACILITY LEtton and Consultary
LOCATION:
IDENTIFICATION # MODOO7152903

I have reviewed the contents of this file and have determined that a

Part 124 withdrawal action is is not necessary to complete
the withdrawal of interim status for this facility.

Lette Hamis

Date #/1/83

Please give his your immediate attention.

All stays work has been done + it has
been nearly to go for a year. Mr. Edwards

here nearly to go patient, but he does need

has been very patient, but he does need

to get it done.





P. O. Box 2847, Commercial Station, Springfield, Mo. 65803 417 862-0751

moDo07152903

October 14, 1983

Mr. David Wagoner Director, Air and Waste Management Division United States Environmental Protection Agency Region VII 324 E. Eleventh Street Kansas City, Missouri 64106

Dear Mr. Wagoner:

On April 5, 1983, Litton - Advanced Circuitry Division partitioned the EPA for a change in our classification from a Storage, Treatment, Disposal Site to that of a Generator. A copy of the application is attached. In the six months since our partition, there appears to have been little action taken to act upon our request. It is my understanding that the Forms, EPA 3510-1 and EPA 8700-12, were correctly filed. Also, the successful closure of our waste water lagoon in 1982 did eliminate our storage site. Thus, the classification as a Generator is appropriate.

If any additional information is required, please contact me at any time. I am looking forward to hearing from your department.

Sincere/ly

David Edwards

Facilities Manager

DE/bq

Enclosure

CC: Gerald Lucey, ACD



P.O. Box 2847, Commercial Station, Springfield, Mo. 65803-0847 417 862-0751

April 5, 1983

Mr. John J. Franke Regional Administrator-Region VII Environmental Protection Agency 324 E. 11th Street Kansas City, Missouri 64106

Dear Mr. Franke:

Enclosed please find our revised EPA applications reflecting a change of classification from a treatment storage or disposal facility to strictly a generator classification. This change in classification is due to the closure of our waste water lagoon. This closure received EPA approval November 10, 1982.

If any further information is required, please contact me at any time.

Sincerely,

David Edwards

Facilities Manager

David Edwards

c1

Enclosures

CC: Mr. J. Dow - ACD Mr. G. Lucey - Litton EPA-ARWM/WMBR

OCT 24 1983

Region VII K.C., MO



									_		
الريح		I.D.	- FO	RO	FICI	AL	JSE	ONLY	,		
4							1.			77 A	٤
W											
-	2				•			1	3	14	15

			1	2 .	13 14 15
IX. DESCRIPTION OF HAZA	ARDOUS WASTES (continued from fro	nt)		
A. HAZARDOUS WASTES FROM waste from non-specific source	M NON-SPECIFIC SOL	JRCES. Enter the fou	r-digit number from 40	CFR Part 261.31 for e	each listed hazardous
	2	3	4	5	6
	D 0 0 7				
					23 26
<u> </u>	25 26	23 26	23 - 26	11	12
7	8		10		
25 26	25 26	23 26	23 28	23 28	25 - 26
B. HAZARDOUS WASTES FROM specific industrial sources your	A SPECIFIC SOURCES installation handles. U	. Enter the four—digit se additional sheets if	number from 40 CFR P necessary.	art 261.32 for each list	ted hazardous waste-from
13	14	15	16	17	18
<u> </u>			23 26	25 - 26	
19	20	21	22.	23	24
27 - 28	17 TO 18	# . W	25 36	23 - 16	23
25	26	27	28	29.	30
	29 26	25 10 10 10 10 10 10 10 1	23 - 26	23 - 26	25 - 26
C. COMMERCIAL CHEMICAL Pr stance: your installation handles	RODUCT HAZARDOU which may be a hazard	IS WASTES. Enter the dous waste: Use addit	e four—digit number from one sheets if necessary.	n 40 CFR Part 261.33	for each chemical sub-
31:	32	33	34	35	36
				23 - 26	26
37	38.	39	40	41	42
25 25	25 - 26	23 . 10	23 20	25 36	48
43	44	45	46	47	
	ı				
23 28	25 25	28	23 28	20 20	25 - 75
D. LISTED INFECTIOUS WASTE hospitals, medical and research	ES: Enter the four—digi laboratories your instal	it number from 40 CF liation handles. Use a	R Part 261.34 for each li Iditional sheets if necessi	sted hazardous waste f ary.	rom hospitals, veterinary
49	50	51	52	53	54
				23 25	25 26
E. CHARACTERISTICS OF NON hazardous wastes your installat	I-LISTED HAZARDO	US WASTES. Mark ": FR Parts 261.21 - 26	(" in the boxes correspo	nding to the characteri	stics of non-listed
I. IGNITABLE		CORROSIVE	3. REACTIN	/=:	4. TOXIC
X. CERTIFICATION					- 20 18K 455
I certify under penalty of attached documents, and the I believe that the submitted mitting false information, inc	nat based on my inqu l information is true,	uiry of those indivi , accurate, and con	duals immediately re plete. I am aware the	sponsible for obtain	ing the information,
SIGNATURE	7		IAL TITLE (type or prin	t)	DATE SIGNED
cavel a	corcus	•	ties Manager		4/5/83

EPA Form 8700-12 (6-80) REVERSE

Please print or type in the unshaded areas only (fiil—in areas are spaced for elite type, i.e., 12 description).	Form Approved OMB No. 158-R0175
WIRONMENTAL PROTECTION AGENCY	LEPALD NUMBER
SEPA SENERAL INFORMATION COnsolidated Permits Program	F M O D O O 7 1 5 2 9 0 3
GENERAL (Read the "General Instructions" before starting.)1-	GENERALINSTRUCTIONS
CEPACE NUMBER MODEOX 152903	If a preprinted label has been provided afflic
HE PACILITY VALUE VEING ON SYSTEMS LOS VALUE VAL	stion carefully; if any of it is incorrect cross through it and enter the correct data in the
**************************************	cher preprinted data- is absent (the area to the
PACIFIED SHE'THE SPACE LABEL IN THIS SPACE	left of the label space lists the information that should appear; please provide it in the proper fill in acceptable below. If the label is
TO A STATE OF THE SECOND S	complete and correct, you need not complete tems to the which
A STATE OF THE PARTY OF THE PAR	must be completed regardless. Complete all jums if no label has been provided. Refer to
	is the instructions for detailed, item; descriptions and for the legal authorizations under
	which this data is collected
IL POBLIFFAME CHARACTERISTICS	and the second of the second o
WINSTERNAL DUNSS, Company & the mails to determine varieties you need to submit any permit applications and the providing to	ne forms to the EPA. It you answer "yes," to any
The property of the property o	ess forms: You may answer not "it your activitys"
Tassander note pagnet recognition (S. 10) (Prif.) in the interior (s. 6). Sector (Log transferror)	MARY X
	ATTACHET
A the internal at particular transmitted	e (sittles existing on proposed) animals feeding, operation, or X
CE FORM CALL STATE OF THE STATE	
IS contact the street the street the street to the street	ty (other than those described to X b will result in a discherge to:
And Babasas (CORNA) Comments of the U.S. (Comments of the U.S. (Co	RM#2D) St. Sat 17
hermotera weather (ECRMSCI) - The Company of the Co	we the lowermost stretum con- serter: miles of the well bore.
	drinking water? (FORM 4)
report control time (fluid south of the control of	mining of sulfur by the Frank g of minerals in situ combus
Construct injuminishing used for entersed resource of	ecovery of grothernel energy?
ingrocesture (COPM 4)	sect stationary: source which is:
instructions and utility will personality early 100k room	distrial categories listed in the X will potentially emits 250 tone
Charact Art Art and more effect on be located in an	stant regulated under the Clean cor be located in an attainment
HB NAME OF FACILITY	N.
LITTON SYSTEMS INC. ADVANCED. C.	I.R.C.U.I.T.R.Y. D.IV
THE FACILITY CONFACES	
	BE SHOWE (area code & nat)
EDWARDS DAVID FACILITIES MGR 4.	1 7 8 6 2 0 7 5 1
V FACE TO MAKE INGADERESSE	40 40 40 40 40 40 50 50 50 50 50 50 50 50 50 50 50 50 50
A STATE OF THE CONTROL OF THE CONTRO	
3 PO BOX 2847	
C SIAL DE SIA	
	0 3
WE PACKET CORNING	
A STREET, BOUTS NO OW OTHER SPECIFIC IDENTIFIER	
54811 W KEARNEY	
IN COUNTY MAME	
GREENE	
CCITY OR TOWN D.STATE E. ZIP.C	
SPRINGFIELD MO658	0.3

ONTINUED FROM THE FRONT WESIC CODES (4-digits incorder of priority)		مر		
A PIRE	A Property of the State of the		B. SECOND	THE PROPERTY AND THE
7 3, 6, 7, 9 ELECTRONICS COMPONENT	.15 16			
(specify)	7	(specify)	DEFOURTH	
VIII OPERATOR INFORMATION	15 Tre			
LITTON INDUSTRI	ES INC			B. is the name listed in item VI(I-A also, the owner?
C SPATUS ONO PERATOR (Enter the appropriate Section (Enter the	derni oristate) M (specify)		A 2 1 3 2 7	7 3 7 8 6 0
3. 6. 0. N. C.R.E.S.E.N.T				The second
			Is the facility located o	a Indian lands
B B E V E R L Y H I L L S		C A 9 0 2 1 0		ZDAC
E EXISTINGENVIRONMENTAL PERMITS	CAMPENISSIONS from	Proposed Sources		
	3 19 17 Err			
	BOCKEP (proc	(Spec	#fv)	
	E OTHER (spec	S(V) (spec	arry)	
9 P 🗟 🔒	9 9 9 9	30		·
Attacts to this application a topographic maps the outline of the facility, the location of each treatment; storage, or disposal facilities, and o weter bodies in the magazere. See instructions: XH, NATURE OF BUSINESS (provides brief decripe	shi office existing and propose each well where it injects flu for precise requirements:	ed intake and discharge uds undergrounds inclu	structures, each of its	hazardous waster 😅
PRODUCTION OF PRINTED CIRCUIT				
en e		 ' ' · .		•• ••
	en e		•	
	•**			
XIII CERTIFICATION (in Historicion)				
Foretify under penalty of fave that I have para attachments; and there, based on my inquiry application; I believe that the information is false information; including the possibility of t	of those persons immediate the accurace and complete.	ly responsible for obtain	ining the information (are significant penaltic	contained in the
A. NAME & OFFICIAL TITLE (type or print) Mr. Ron Enos, General Manager Advanced Circuitry Division	3. SIGNATURE		C. DA	16 /8 3
COMMENTS FOR OFFICIAL USE ONLY			and the second of the second of	

PA Form 3510-1 (6-80) REVERSE